



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/035,647

12/28/2001

Guy L. Steele JR.

06502.0379

4097

7590 12/27/2006  
Finnegan, Henderson, Farabow,  
Garrett & Dunner, L.L.P  
1300 I Street, N.W.  
Washington, DC 20005-3315

EXAMINER

MAI, TAN V

ART UNIT

PAPER NUMBER

2193

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
--	-----------	---------------

2 MONTHS

12/27/2006

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.



UNITED STATES PATENT AND TRADEMARK OFFICE

Commissioner for Patents  
United States Patent and Trademark Office  
P.O. Box 1450  
Alexandria, VA 22313-1450  
[www.uspto.gov](http://www.uspto.gov)

**MAILED**

**DEC 27 2005**

**Technology Center 2100**

**BEFORE THE BOARD OF PATENT APPEALS  
AND INTERFERENCES**

Application Number: 10/035,647  
Filing Date: December 28, 2001  
Appellant(s): STEELE, GUY L.

---

Nathan A. Sloan  
For Appellant

**EXAMINER'S ANSWER**

This is in response to the appeal brief filed April 07, 2006 appealing from the Office action mailed May 31, 2005.

**(1) Real Party in Interest**

A statement identifying by name the real party in interest is contained in the brief.

## **(2) Related Appeals and Interferences**

The following are the related appeals, interferences, and judicial proceedings known to the examiner which may be related to, directly affect or be directly affected by or have a bearing on the Board's decision in the pending appeal:

The Appeal of U.S. Patent Application No. 10/035,579.

The Appeal of U.S. Patent Application No. 10/035,747.

The Appeal of U.S. Patent Application No. 10/035,584.

The Appeal of U.S. Patent Application No. 10/035,595.

The Appeal of U.S. Patent Application No. 10/035,587.

The Appeal of U.S. Patent Application No. 10/035,580.

## **(3) Status of Claims**

The statement of the status of claims contained in the brief is correct.

This appeal involves claims 1-5 and 7-37.

Claim 6 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

## **(4) Status of Amendments After Final**

The appellant's statement of the status of amendments after final rejection contained in the brief is correct.

**(5) Summary of Claimed Subject Matter**

The summary of claimed subject matter contained in the brief is correct.

**(6) Grounds of Rejection to be Reviewed on Appeal**

The appellant's statement of the grounds of rejection to be reviewed on appeal is substantially correct. The modifications are as follows:

Claims 1-5 and 7-40 are rejected under 35 U.S.C. 102(b) as being anticipated by Huang et al.

It is noted that upon further review of the claims and the Huang et al. patent, it has been determined that Huang et al. anticipates the invention as recited in claims 1-5 and 7-37 currently under appeal. The grounds of rejection section of this Examiner's Answer sets forth the modified rejection of claims 1-5 and 7-37 in view of Huang et al.

**(7) Claims Appendix**

The copy of the appealed claims contained in the Appendix to the brief is correct.

**(8) Evidence Relied Upon**

5,995,991	HUANG ET AL.	11-1999
6,009,511	LYNCH ET AL.	12-1999

**(9) Grounds of Rejection**

The following ground(s) of rejection are applicable to the appealed claims:

**(10) Claim Rejections - 35 USC § 102**

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

**B.** Claims 1-5 and 7-40 are rejected under 35 U.S.C. 102(b) as being anticipated by Huang et al.

As per independent claim 1, Huang et al disclose, e.g., see **Fig. 4**, the invention, **arithmetic calculation circuit (100)**, substantially as claimed, including: **X and Y operand registers 116 & 118; arithmetic section 114 and special operand generator 122**. It is noted that although Huang et al do not refer to an "analyzer circuit" per se, Huang et al.'s device is configured to determine a **first status** of a first floating point operand and a **second status** of a second floating point operand, similar to the function of the claimed analyzer circuit, thus Huang et al.'s arithmetic **calculation circuit (100)** having special operand indicator in each operand register corresponds to the "analyzer circuit" as claimed.

As per dependent claim 2, the claim adds: (1) "first / second operand buffer" and (2) "first / second operand analysis circuit". The memory (register file) 112 in Huang's Fig. 4 corresponds to the claimed "operand buffer", since a buffer is nothing more than a storage for temporary storing desired data, and Huang's disclosed register file 112 clearly store operands at least temporarily. Second, Huang et al's **arithmetic calculation circuit (100)** , specifically arithmetic section 114 inherently includes circuit(s) for determining the first / second status as claimed.

As per dependent claim 3, the claim adds the "first status and the second status are determined without regard to memory storage external to the first operand buffer and the second operand buffer". Huang et al disclose a similar feature, i.e., "X and Y operand registers each includes a special operand indicator which is stored a special operand of a predetermine set of special operands feature".

As per dependent claim 4, the claim adds the "memory storage external ...is a floating point status register". Huang et al. disclose special floating point operands, thus the register file 112 includes floating point registers (for storing status information e.g. of output of 150), as claimed.

As per dependent claim 5, the claim details the "results circuit". Huang et al's arithmetic section 114 , tag generator 150 and special operand generator 122 in combination provide the "resulting floating point operand and embed the resulting status" as claimed, since they produce the resulting floating point operand along with

Art Unit: 2193

the resulting tag to be stored within the register file 112 (thus embedding the status, i.e. tag within the resulting operand stored in the register file 112).

As per dependent claim 7, the claim adds the list of status. Huang et al disclose the claimed list of status e.g. in col. 7 lines 20-22

As per dependent claims 8-13, the claim adds the details of the status. These features are disclosed in col.1 lines 55-60 & col. 7 lines 20-23, table 1 in col. 6; col.1 lines 55-60 & col. 7 lines 20-23, table 1 in col. 6, col. 6 lines 39-43 and col. 9 lines 25-30 respectively.

Due to the similarity of claims 14-37 to claims 1-5 and 7-13, they are rejected under a similar rationale.

### **Claim Rejections - 35 USC § 103**

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

**C.** Claims 1-5 and 7-37 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lynch et al .

As per independent claim 1, Lynch et al disclose, e.g., see **Fig. 4**, the invention, **floating point unit (36)**, substantially as claimed, including: **Register Stack**

**(84) and FPU Core (94).** Although Lynch et al do not explicitly describe an "analyzer circuit" per se, Lynch's disclosed floating point system is configured to determine a **first status** of a first floating point operand and a **second status** of a second floating point operand ("whether each floating point operand is a normal floating point number or a special floating point number" in abstract, lines 1-7), as recited in the instant claim, thus Lynch's floating point unit in Lynch's system inherently includes an analyzer circuit for performing the determination. Lynch et al. do not explicitly disclose that the resulting status tag is embedded within the resulting floating point operand, as claimed. Lynch et al. do disclose in Fig. 6 that the register stack (84) for storing operand includes result operand having a tag field (89) within the operand for storing appended tag values (see the bridging paragraph of cols. 15 and 16). It would have been obvious to a person having ordinary skill in the art at the time the invention was made to store the floating point result with its tag as a resulting operand in Lynch's register stack (84) in order to quickly determine its status in subsequent operations.

As per dependent claim 2, the claim adds: (1) "first / second operand buffer" and (2) "first / second operand analysis circuit". First, the "operand buffer" feature is well known in the art for temporary storing desired data. Therefore, including buffers in Lynch's floating point system would have been obvious to one of ordinary skill in the art in order to avoid error due to logic switching of operands. Second, Lynch et al's floating point unit (36), should have circuit(s) for determining the first / second status as claimed.

As per dependent claim 3, the claim adds the "first status and the second status are determined without regard to memory storage external to the first operand buffer



Art Unit: 2193

and the second operand buffer". In Lynch's floating point system modified in the manner set forth above would includes determining the status of the operand in the floating point core (see abstract), thus without regard to the external memory storage as claimed.

As per dependent claim 4, the claim adds the "memory storage external ...is a floating point status register". The feature is inherent in Lynch's floating point unit for indicating the special floating point operands.

As per dependent claim 5, the claim details the "results circuit". Lynch et al's floating point unit (36) modified in the manner set forth above, is capable of providing the "resulting floating point operand and embed the resulting status" as claimed, therefore, inherently includes a "circuit" for performing the operations.

As per dependent claim 7, the claim adds the list of status. Lynch et al disclose the equivalent feature, e.g., col. 2, second complete paragraph.

As per dependent claims 8-13, the claim adds the details of the status. Lynch discloses these features in Fig. 5.

Due to the similarity of claims 14-37 to claims 1-5 and 7-13, they are rejected under a similar rationale.

## **(11) Response to Argument**

Art Unit: 2193

Appellant's arguments filed April 07, 2006 have been fully considered but they are not persuasive. Appellant argues that:

**B1. Claims 1-5 and 7-37 patentably distinguish from Huang**

"Huang does not disclose each and every element of Appellant's claimed invention. Independent claim 1 calls for a combination including, for example, 'an analyzer circuit configured to determine a first status of a first floating point operand and a second status of a second floating point operand based upon data within the first floating point operand and data within the second floating point operand respectively,' (emphasis added)...

First, the Examiner has not identified specific teachings in Huang which show the Examiner's coined term 'special operand indicator.' The Examiner has also not made clear how such alleged teachings relate to, for example, the claimed 'determine a first status of a first floating point operand and a second status of a second floating point operand based upon data within the first floating point operand and data within the second floating point operand respectively" as recited by claim 1 (emphasis added).

Second, even assuming the Examiner's coined term 'special operand indicator' refers to a tag value of Huang (Huang, FIG. 4, 116-2), Huang's teaching of a 'tag value' does not constitute a teaching or suggestion of 'data within the first floating point operand and data within the second floating point operand' (emphasis added) as recited by claim 1...

Moreover, independent claim 1 recites 'a results circuit coupled to the analyzer circuit and configured to ... a resulting status embedded within the resulting floating

Art Unit: 2193

point operand' (emphasis added). However, the Examiner has not identified any specific teachings of Huang which correspond to 'a resulting status embedded within the resulting ... operand,' as recited by claim 1 (emphasis added). See Office Action mailed October 12, 2004 at pp. 3-4. Indeed, there are no such teachings. As illustrated in FIG. 4, Huang teaches a tag generator 150 to generate the tag (alleged status) separately from the operand, which is loaded separately into tag value portion 116-2 as discussed above. Such teachings by Huang do not constitute a teaching or suggestion of 'a resulting status embedded within the resulting floating point operand,' as recited by claim 1 (emphasis added)...

First, the Examiner's alleged motivation is directed to a special operand indicator 'in each operand register.' Id. (emphasis added). Discussion of 'a special operand indicator in each operand register,' however, does not constitute motivation to determine a first and second status of a first and second operand 'based upon data within the first floating point operand and data within the second floating point operand,' as recited by claim 1 (emphasis added). Discussion of 'a special operand indicator in each operand register,' also does not constitute motivation for 'a resulting status embedded within the resulting floating point operand,' as recited by claim 1 (emphasis added).

Second, the Examiner uses impermissible hindsight in reconstructing Appellant's claimed invention. A determination of obviousness must "take into account only knowledge which was within the level of ordinary skill in the art at the time the claimed invention was made and ... [must] not include knowledge gleaned only from" Appellant's

Art Unit: 2193

disclosure. In re McLaughlin, 443 F.2d 1392, 1395, 170 USPQ 209,212 (CCPA 1971) (emphasis added). As discussed above, the Examiner concedes that Huang does not each determining a "first status of a first floating point operand and a second status of a second floating point operand." Office Action mailed October 12, 2004 at p. 3. No other reference is cited to cure this deficiency. Therefore, the Examiner's determination of obviousness could not have been founded on knowledge within the level of skill in the art when Appellant's claimed invention was made. Such determination instead impermissibly relied on hindsight reasoning by looking to Appellant's specification. For at least this additional reason, there is no motivation to modify Huang to arrive at Appellant's invention as recited by claim 1."

**B2. Claims 2-5, 7-13, 15-25 and 27-37 patentably distinguish from Huang**

"Huang does not disclose each and every element of dependent claims 2-5, 7-13, 15-25, and 27-37. In fact, the Examiner has not addressed any of the elements recited by dependent claims 2-5, 7-13, 15-25, and 27-37, other than to say that Huang "should have" the claimed elements, Huang allegedly teaches an "equivalent feature," the claimed elements are "well known," Huang is "capable of" the claimed elements, and the claimed elements are "obvious design choice." See Office Action mailed October 12, 2004 at p. 4. These bare assertions fail to meet the requirement for showing how Huang allegedly teaches or suggests each and every element of claims 2-5, 7-13, 15-25, and 27-37. Moreover, the Examiner has not provided any motivation to make the alleged modifications. Id."

**C1. Claims 1-5 and 7-37 patentably distinguish from Lynch**

"[i]n addition, the Examiner has not explained how Lynch's 'tag values' relate to, for example, determining a 'first status ... based upon data within the ... operand,' as recited by claim 1. Even if Lynch's tag value were to constitute the claimed 'status,' (which Appellant does not concede) the tag value of Lynch is not 'data within the ... operand,' as recited by claim 1.

Fig. 4 of Lynch, which Appellant reproduces below, clearly illustrates that Tag Field 89 (alleged status) and Reg Field 87 (operand) are separate from each other and are stored within register stack 84...

Moreover, Lynch specifically states that element 84 is a register stack, not an operand. Lynch, col. 14, lines 47-48. Lynch also states that register stack 84 contains a Reg Field 87 for storing an operand separate from a Tag Field 89 for storing a tag (alleged status). See Lynch, col. 15, lines 63-67. 'Separate from' cannot constitute 'data within' the operand, as recited by claim 1.

In addition, independent claim 1 recites a combination including, for example, 'a results circuit coupled to the analyzer circuit and configured to ... a resulting status embedded within the resulting floating point operand' (emphasis added). However, the Examiner has not identified any specific teachings of Lynch which would allegedly teach or suggest 'a resulting status embedded within the resulting ... operand,' as recited by independent claim 1. In fact, the Examiner has not addressed this element at all. See Office Action mailed October 12, 2004 at pp. 5. This is not surprising, since Lynch does

Art Unit: 2193

not contain a teaching or suggestion of this element. Rather, as discussed above, Lynch teaches that the tag value (alleged status) in Tag Field 89 is separate from an operand Reg Field 87. Lynch teaches that '[a] tag value is appended to each floating point number stored in a floating point register' (Lynch, col. 5, lines 44-45 (emphasis added)), the opposite of the claimed 'resulting status embedded within the resulting ... operand...

Moreover, Lynch teaches 'a tag value is appended to each floating point number stored in a floating point register' (Lynch, col. 5, lines 44-45). This is the opposite of the claimed structure, which requires 'a resulting status embedded within the resulting floating point operand' (emphasis added)."

**C2. Claims 2-5, 7-13, 15-25 and 27-37 patentably distinguish from Lynch**

"Lynch does not disclose each and every element of dependent claims 2-5, 7-13, 15-25, and 27-37. In fact, the Examiner has not addressed any of the elements recited by dependent claims 2-5, 7-13, 15-25, and 27-37, other than to say that Lynch 'should have' the claimed elements, Lynch allegedly teaches an 'equivalent feature,' the claimed elements are 'well known,' Lynch is 'capable of' the claimed elements, and the claimed elements are 'obvious design choice.' See Office Action mailed October 12, 2004 at p. 5-6. These unsupported assertions also fail to meet the requirement for a teaching or suggestion in Lynch of each and every element of claims 2-5, 7-13, 15-25, and 27-37. The Examiner also has not shown the required motivation to modify Lynch to achieve the claimed combination. Id."

***With respect to the arguments, the examiner carefully reviews Appellant's specification, drawings, claimed invention and the applied references.***

**B1. Claims 1-5 and 7-37**

It is noted that "X" SPECIAL OPERAND INDICATOR (x\_tag) and "Y" SPECIAL OPERAND INDICATOR (y\_tag) of Fig. 4 are equivalent to the claimed "determine a **first status** ... and **second status**" feature (e.g., see Abstract, lines 7-10; and claim 1, para. (a) for detail of the tag). According to Fig. 4, "X" (116-1) and "x\_tag" (116-2) are belonged to a "X" register (116). In col. 6, lines 64-65, Huang specifically states "**X** and **Y operand registers 116** and 118 ..." Therefore, it is clearly that Huang's teaching of a "tag value" does constitute a teaching data within the floating point **operand** as claimed. Although the tag generator (150) to generate the tag value separately from the output of arithmetic section (114), the examiner believes that the resulting status "tag value" embedded within the "resulting floating point operand". It is noted that the format [resulting status embedded within the resulting floating point operand] of **stored data** in the MEMORY (REGISTER FILE) 112 is the **same as** the format [status data within the floating point operand] of **data transferred** to "X" or "Y" register because the **read out / write in data** is usually unchanged. Therefore, the **stored** "resulting floating point operand" includes the "resulting status" as claimed.

**B2. Claims 2-5, 7-13, 15-25 and 27-37**

As pointed out in the rejection of above claims in this Examiner's answer, Huang

discloses "status" information, e.g., zero, overflow, underflow, etc. status flags (e.g. col. 7, lines 20-23); Not a number, etc. (TABLE 1). Also, Huang' s claim 3 discloses "positive infinity" & "negative infinity" features as Appellant's claim 14.

**C1. Claims 1-5 and 7-37**

It is noted that the "Tag Field" (89) contains the "status" information of each register of Register Stack (84), e.g., see Abstract. According to Fig. 4, "Reg Field" (87) and "Tag Field" (89) are belonged to Register Stack (84). Therefore, it is clearly that Lynch's teaching of a "tag value" does constitute a teaching data within the floating point **operand** as claimed. Although the tag value is appended to each floating point number stored in a floating point register, the examiner interprets the floating point register as a operand. Therefore, that the resulting status "tag value" embedded within the "resulting floating point operand".

**C2. Claims 2-5, 7-13, 15-25 and 27-37**

As pointed out in the rejection of claims in this Examiner's Answer, Lynch teaches the claimed "status" information, e.g., "[t]ypes of special floating point numbers include zero, +infinity, -infinity and NaNs" (col. 17, lines 6-7) and Fig. 5. In col. 18, first complete paragraph, Lynch discloses "+infinity" & "-infinity" features as Appellant's claim 14.

**(12) Related Proceeding(s) Appendix**

No decision rendered by a court or the Board is identified by the examiner in the Related Appeals and Interferences section of this examiner's answer.



Art Unit: 2193

(13) For the above reasons, it is believed that the rejections should be sustained.


Respectfully submitted,



Tan V. Mai

Primary Examiner

Conferees:



KAKALI CHAKI  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2100

Kakali Chaki (SPE. Art Unit 2193)



TUAN DAM  
SUPERVISORY PATENT EXAMINER

Tuan Dam (SPE. Art Unit 2192)